

Material Safety Data Sheet

According to 91/155/EEC and ISO 11014-1

Printing date : November 25, 2015

Replaced issue dd.:2015.01.01

1. Identification of substance and of the company

Product Name: IRON OXIDE RED UT110

Company: TODA UNITED INDUSTRIAL (ZHEJIANG) CO., LTD. DFQING, ZHEJIANG, CHINA.

2. Composition/Data on components

Chemical characterization:

Synthetic iron oxide Fe₂O₃. a H₂O, C. I. Pigment RED 101, CAS. No. 1309-37-1

Dangerous components: None

None

3. Hazards identification

May cause mechanical irritation to the eyes, skin and respiratory tract, Irritating gases/fumes may be given off during burning or thermal decomposition.

HMIS Codes: H=1,F=1,R=0,P=0 (0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe)

Eyes: Non-irritating to the eyes. Excessive exposure to airborne dust may reduce visibility and /or cause unpleasant deposits.

Skin: will not irritate skin and is not likely to cause allergic skin reaction. Injury to the skin or mucus membranes can occur by direct mechanical action or by rigorous skin cleaning necessary for removal of dust.

Other effects: none known.

Not a hazard in normal industrial use. No harmful effects observed.

The product is not a substance subject to mandatory marking in accordance with the EEC Directive 67/584/EEC Or amendments.

4. First Aid measures

First aid for skin: In case of skin contact, immediately flush skin with water. Wash clothing before reuse. Call a physician if irritation occurs.

First aid for ingestion: Immediately contact a physician.

First aid for eyes: Flush eyes with plenty of water, lifting lids periodically for at least 15 minutes. Consult a physician if irritation persists.

First aid for inhalation: Remove from dusty area to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

5. Fire fighting measures

Product is non-combistible.

Upper Explosive Limit (UEL): Will not explode.

Lower Explosive Limit (LEL): Will not explode.

Fire Fighting Instructions: Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes and smoke inhalation.

Suitable extinguishing media: Material is not combustible. Use extinguishing media suitable for other combustible materials in the area.

Special hazards caused by the material, its combustion products or resultant gases: none Flash point: Not applicable.

| Auto-ignition temperature: Not applica | ble | | | | | |
|---|--------------------|--------------------------|-------------------|----------------|---------------------------------|--|
| 6. Accidental release | ioie. | | | | | |
| | | | | | | |
| Environmental protection conduct: Do not sweep or wash into public stretches of water, sewers or sites of unknown | | | | | | |
| discharge paths. After spillage/leakage/gas leakage: | | | | | | |
| Clean up immediately with wetting or ab | sorbent material | avoiding dustin | ng | | | |
| 7. <u>Handling and storage</u> | | | | | | |
| Handling: | | | | | | |
| Usual precautions for nuisance dust shou | ıld be observed. | | | | | |
| Protection against fire and explosion: The product is non-flammable | | | | | | |
| Storage: | | | | | | |
| Store in roofed places at room temperatu | re. Keep contain | ers tightly seale | ed. | | | |
| Flammability Class: not applicable | | | | | | |
| 8. Exposure controls/personal protection | | | | | | |
| Additional notas for design of plant ag | uinmont. | | | | | |
| Additional notes for design of plant eq No further details, see sec. 7 | mhinent: | | | | | |
| Components with workplace-related li | mits to be moni | | | | • | |
| Designation%Nuisance dust100 | | <u>Type of da</u> MAK | ita | <u>Ur</u> 6 | <u>nit</u> mg/m ³ | |
| Tulsance dust 100 | | TLV/TWA(USA) | | | mg/m ³ | |
| Personal protection equipment: | | | | | | |
| Respiratory protection: An appropriate dust filter has to be used | if a breathable du | ist is liberated. | | | | |
| | | | | | | |
| 9. Physical and chemical properties | | | | | | |
| form: Powder | | | | | | |
| colour: Red odour: odourless | | | | | | |
| outen outeness | | Value/Arc | ea | Unit | Method | |
| Change in physical state Thermal Decomposition: | | n.a. | | ⁰ C | Lit. | |
| Flash point: not flammable | | 11.a. | | C | Lit. | |
| Flammable properties: The product is n | not flammable un | der standardize | ad conditions | | | |
| Explosion risks: The product is not expl | | | | | | |
| Vapour pressure: | losive | | mbar | | | |
| • • | | n.a. | | DDUIGO | 707 . 10 D | |
| Density: | $(20^{0}C)$ | 5 | g/cm ³ | | 787 part 10 B | |
| Solubility in water: | $(20^{0}C)$ | <0,5 | % | | O 787 part 3 | |
| PH-Value: (at 100 g/l H_2O) | $(20^{0}C)$ | ca.3.5-7 | | DIN/IS | O 787 part 9 | |
| 10. Stability and reactivity | | | | | | |
| Hazardous Polymerization: Will not ou | 2011r | | | | | |
| Stability: Stable Material. | | | | | | |
| Incompatibilities: None known. | | | | | | |
| Instability conditions : None known. Decomposition temperature : Greater th | an 120 C | | | | | |
| Decomposition products : None known. | | | | | | |
| 11 Toricological Information | | | | | | |
| 11. Toxicological Information | | | | | | |
| Because of experiences with the product | mentioned, there | are no recogni | izable hazaro | ls for huma | n beings, | |
| If it is correctly used and applied. | | | | | | |

| 12. Ecological information | | | | | | |
|--|---|--|-------------------------------|--|--|--|
| | | | | | | |
| Avoid infiltration into waster drainings or soil. 13. Disposal considerations | | | | | | |
| Waste Code No.: Check re-use as alte Contaminated pac | kages and containers | - | | | | |
| 14. Transport inform | 14. Transport information | | | | | |
| International: Land transport: Sea transport: Air transport: | ADR/RID/GGVS/C IMDG/GGV See U ICAO/IATA UN/ID | N-No.: Not Regulated | | | | |
| U.S. CANADA | D.O.T.Classificati Transport of dang | ion: Not Regulated erous goods: Not Regulated | | | | |
| DOT Hazardous Classification: Non-Regulated. This product is not classed as a dangerous substance under the Classification, Packaging and Labeling of Dangerous Goods Act. DOT Hazard Class: Non-Regulated. DOT Identification Number: None DOT Labels required: None DOT Placards required: None. No specific transportation precautions required. UN Class: None. UN/NA Number: None. 15. Regulatory information | | | | | | |
| Labeling according t SARA | o EEC Directives: No | t Regulated. | | | | |
| SARA 312: Health: Immediate Delayed (| | Fire: Reactivity: Sudden release of pr | None None ressure: None | | | |
| Not an acute hazard, however may cause irritation due to abrasiveness. These products are not classified as Carcinogens by the National Toxicology Program, the International Agency for Research on Cancer or the Occupational Safety and Health Administration. We do not know of any chronic health effect from these products. The finished pigment is a fine powder and may increase the risk of respiratory and skin discorders aggravated by dust. | | | | | | |
| The product is not a substance subject to mandatory marking in accordance with the EEC Directive 67/548/EEC or amendments. | | | | | | |
| Water risk class: WGK 0 (Self-assessment, acc. to § § 7a 19,19a-1 of German Water Utilization Act (WHG) | | | | | | |
| 16. <u>Further information:</u> | | | | | | |
| HMIS Codes: H=1,F=1,R=0,P=0 (0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe) | | | | | | |
| Vertical markings at left margin denote alterations of previous issue. The information contained herein is based on the present state of our knowledge, but without liability, which is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the manufacturer. The data on this sheet relates only to the specific material designated herein. It may not be valid for this material responsibility to verify suitability and completeness of this information for their own particular use. The manufacturer | | | | | | |

assumes no legal responsibility for use or reliance upon these data.

Department issuing this data sheet: Product safety department